

Section 1: Product & Company Information

Product Identifier: Barium hydroxide, octahydrate

Other Means of Identification

Product Number: 101003

Recommended Use and Restrictions on Use

Recommended Use: Laboratory chemicals.
Restrictions on Use: No data available.

Manufacturer / Importer / Supplier / Distributor Information

Company Name: CORECHEM Inc.
Address: 4320 Greenway Drive
Knoxville, TN 37918
USA

Information Telephone Number: 1-865-524-4239

Fax Number: 1-865-524-3375

Website: www.corecheminc.com

Contact Person: Regulatory Manager

E-mail: regulatory@corecheminc.com

Emergency Phone Number: Chemtrec® 1-800-424-9300 / Outside USA 1-703-527-3887 (monitored 24 hours/day)

Section 2: Hazards Identification

GHS Hazard Classification(s)

In accordance with OSHA Hazard Communication Standard 29 CFR 1910.1200 (HazCom 2012).

Physical Hazard(s)

Not classified.

Health Hazard(s)

Acute Toxicity, Oral - 4
Acute Toxicity, Inhalation - 4
Corrosion/Irritation, Skin - 1B
(Corrosion)Damage/Irritation, Eye - 1

Environmental Hazard(s)

Not classified.

Label Elements

Signal Word

DANGER

Hazard Symbol(s)



Hazard Statement(s)

H302: Harmful if swallowed.
H314: Causes severe skin burns and eye damage.
H318: Causes serious eye damage.
H332: Harmful if inhaled.

Precautionary Statements

General

Not applicable.

Prevention

P260: Do not breathe dust/fume/gas/mist/vapors/spray.
P261: Avoid breathing dust/fume/gas/mist/vapors/spray.

P264: Wash face, hands and any exposed skin thoroughly after handling.
 P270: Do not eat, drink or smoke when using this product.
 P271: Use only outdoors or in a well-ventilated area.
 P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response

P301 + P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
 P301 + P330 + P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
 P303 + P361 + P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
 P304 + P340: IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
 P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310: Immediately call a POISON CENTER or doctor/physician.
 P312: Call a POISON CENTER or doctor/physician if you feel unwell.
 P321: Specific treatment (see supplemental first aid instructions on this label).
 P330: Rinse mouth.
 P363: Wash contaminated clothing before reuse.

Storage

P405: Store locked up.

Disposal

P501: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC)

None known.

Section 3: Composition/Information on Ingredients

Substance

Chemical Identity ²	Common Name/Synonym(s)	CAS # ³	Weight %	Impurity or Stabilizing Additive
Barium hydroxide, octahydrate	Caustic baryta, barium hydrate, barium octahydrate	12230-71-6	≤100%	None

- Information regarding the composition and the percentage ranges of the mixtures ingredients are not presented as it Confidential Business Information (CBI). Where a medical emergency exists (as determined by medical professional), timely disclosure of CBI is assured. The information omitted pertains to only the names of the substances and the concentration in the mixture (product) and can only be requested by a doctor/physician or Local/State/Provincial or Federal Authority.
- Non-hazardous ingredients are not presented as to protect the proprietary formula of the product.
- “—” Indicates ingredient is a mixture and contains multiple ingredients or may have no identifying CAS number.

Section 4: First-Aid Measures

General Information

Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Wash contaminated clothing before reuse.

Inhalation

Seek immediate medical advice. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

Skin Contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician if irritation persists.

Eye Contact

After eye contact: rinse out with plenty of water for at least 15 minutes. Be sure to adequately rinse by lifting and separating your eyelids. Remove contact lenses. Call a physician if irritation persists.

Ingestion

Call a physician or poison control center immediately. Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important symptoms/effects, acute and delayed

Symptoms

Ingestion causes excessive salivation, severe abdominal pain, vomiting, paralysis, gastroenteritis, increased blood pressure, convulsive tremors, and hypocalcemia. Causes burns. Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin. Inhalation may be fatal because of spasm, inflammation and edema of the larynx and bronchi, chemical pneumonitis, and pulmonary edema. Symptoms of exposure may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and vomiting.

Indication of immediate medical attention and special treatment needed

Hazards

Acute barium poisoning gives a rapid decrease in blood potassium level.

Treatment

Give to drink 30 grams of sodium sulfate in 250mL of fresh water. Immediate medical attention is required. Medical examination necessary even only on suspicion of intoxication.

Section 5: Fire-Fighting Measures

General Fire Hazards

In case of fire and/or explosion do not breathe fumes. Use water spray to keep fire-exposed containers cool. Move containers from fire area if you can do so without risk. Water may be ineffective in fighting the fire. Fight fire from a protected location.

Suitable (and Unsuitable) Extinguishing Media

Suitable Extinguishing Media

Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide.

Unsuitable Extinguishing Media

No data available.

Specific Hazards Arising from the Chemical

Barium oxide

Ambient fire may liberate hazardous vapors.

Special Protective Equipment and Precautions for Firefighters

Special Fire-Fighting Equipment Procedures

Prevent fire extinguishing water from contaminating surface water or the ground water system.

Special Protective Equipment for Fire-Fighters

As in any fire, wear self-contained breathing apparatus pressure-demand (OSHA/NIOSH approved or equivalent) and full protective gear.

Section 6: Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

Evacuate spill area. Isolate hazard area and deny entry to unnecessary or unprotected personnel. Stay upwind and keep out of low area. Remove all possible sources of ignition in the surrounding area. Wear appropriate personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. See Section 8 of the SDS for Personal Protective Equipment. Ventilate contaminated area thoroughly shut off leaks, if possible, without personal risk.

Methods and Materials for Containment and Clean-Up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Do not flush with water. Keep in suitable, closed containers for disposal.

Notification Procedures

Notify authorities if any exposure to the general public or environment occurs or is likely to occur. Local authorities should be advised if significant spillages cannot be contained.

Environmental Precautions

Dike for later disposal. Prevent entry into waterways, sewers, basements or confined areas. Stop the flow of material, if this is without risk. Inform authorities if large amounts are involved.

Section 7: Handling and Storage

Precautions for Safe Handling

Keep containers tightly sealed. Store in cool, dry place in tightly closed containers. Ensure good ventilation/exhaustion at the workplace. This product is not flammable.

Conditions for Safe Storage, including any Incompatibilities

Keep container tightly closed. Store in a cool, dry, well-ventilated place in well-sealed containers. Do not store together with strong acids.

Section 8: Exposure Controls/Personal Protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Type	Value	Source
Barium hydroxide (CAS #: 12230-71-6)	TWA	0.5 mg (Ba)/m ³ :8H	US. ACGIH Threshold Limit Values
Barium hydroxide (CAS #: 12230-71-6)	TWA	0.5 mg (Ba)/m ³ :8H	US OSHA Table Z-1

Biological Limit Values

The product does not contain any relevant quantities of hazardous materials with assigned biological limit values.

Appropriate Engineering Controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Individual protection measures, such as personal protective equipment (PPE)

General Information

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Eye/Face Protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety Goggles.

Skin Protection

Hand Protection

Wear Impervious gloves

Other

Wear appropriate chemical resistant clothing.

Respiratory Protection

Required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Hygiene Measures

When using, do not eat, drink, or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated footwear that cannot be cleaned. Wash hands before breaks and immediately after handling the product. Wash contaminated clothing before reuse. Avoid contact with eyes, skin, and clothing.

Section 9: Physical and Chemical Properties

Appearance:

Physical State: Powder
Color: White

Odor: Odorless

Odor Threshold: No data available.

pH: 12.5 at 50 g/l at 20 °C (68 °F)

Melting Point/Freezing Point: 78°C

Initial Boiling Point and Boiling Range: 408°C

Flash Point: Non-flammable

Evaporation Rate (butyl acetate=1): No data available.

Flammability (solid, gas): Non-flammable

Upper/Lower Limit on Flammability or Explosive Limits

Flammability Limit – Upper: Non-flammable

Flammability Limit – Lower: Non-flammable

Explosive Limit – Upper: Not applicable.

Explosive Limit – Lower: Not applicable.

Vapor Pressure: No data available.

Vapor Density (air =1): No data available.

Relative Density (water=1): 2.180 g/cm³ @ 20°C

Solubility(ies):

Solubility in water: 56 g/L @15°C

947 g/L @ 78°C

Solubility (other): No data available.

Partition coefficient (n-octanol/water): No data available.

Auto-Ignition Temperature: No data available.

Decomposition Temperature: No data available.

Viscosity: No data available.

Other Information:

Molecular Weight: 315.48

Formula: Ba (OH)₂·8H₂O

Section 10: Stability and Reactivity

Reactivity

No dangerous reaction known under conditions of normal use.

Chemical Stability

Material is stable under normal conditions.

Possibility of Hazardous Reactions

Hazardous polymerization does not occur.

Conditions to Avoid

No decomposition if used and stored according to specifications.

Incompatible Materials

Strong acids.

Hazardous Decomposition Products

Barium oxide.

Section 11: Toxicological Information

Information on routes of exposure

Ingestion: No data available.

Inhalation: No data available.

Skin Contact: No data available.

Eye Contact: No data available.

Information on Toxicological Effects

Acute Toxicity (List all possible routes of exposure)

Oral

Barium hydroxide (CAS #: 12230-71-6): LD50 Oral – Rat – 550 mg/kg

Dermal

No data available.

Inhalation

No data available.

Repeated Dose Toxicity

No data available.

Skin Corrosion/Irritation

May cause irritation or burns.

Serious Eye Damage/Eye Irritation

May cause irritation or burns.

Respiratory/Skin Sensitization

No sensitizing effect known.

Carcinogenicity

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

US. National Toxicology Program (NTP) Report on Carcinogens

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Germ Cell Mutagenicity

In Vitro

No mutagenic components identified.

In Vivo

No mutagenic components identified.

Reproductive Toxicity

None known.

Specific Target Organ Toxicity – Single Exposure

None known.

Specific Target Organ Toxicity – Repeated Exposure

None known.

Aspiration Hazard

Not classified.

Other Effects

Ingestion causes excessive salivation, severe abdominal pain, vomiting, paralysis, gastroenteritis, increased blood pressure, convulsive tremors, and hypocalcemia. Causes burns. Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin. Inhalation may be fatal because of spasm, inflammation and edema of the larynx and bronchi, chemical pneumonitis, and pulmonary edema. Symptoms of exposure may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and vomiting.

Section 12: Ecological Information

Ecotoxicity

Acute Hazards to the Aquatic Environment

Fish

No data available.

Aquatic Invertebrates

No data available.

Toxicity to Aquatic Plants

No data available.

Chronic Hazards to the Aquatic Environment

Fish

No data available.

Aquatic Invertebrates

No data available.

Toxicity to Aquatic Plants

No data available.

Persistence and Degradability

Biodegradation

There are no data on the degradability of this product.

BOD/COD Ratio

No data available.

Bioaccumulative Potential

Bioconcentration Factor (BCF)

No data available on bioaccumulation.

Partition Coefficient n-octanol / water (log Kow)

No data available.

Mobility in Soil

No data available.

Other Adverse Effects

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system. Do not allow material to be released to the environment without proper governmental permits.

Section 13: Disposal Considerations

Disposal Instructions

Consult state, local, or national regulation for proper disposal. Allow professional disposal company to handle waste.

Contaminated Packaging

Disposal must be made according to official regulations.

Section 14: Transportation Information

US Department of Transportation (DOT)

This material is not regulated as a hazardous material for transport by the U.S. Department of Transportation in accordance with 49 CFR 172.101.

UN Number: UN1564

UN Proper Shipping Name: Barium compound, n.o.s.

Technical Name: Barium hydroxide, octahydrate

Hazard Class: 6.1

Subsidiary Hazard Risk: -
Packing Group: III
DOT Label/Placard Exemptions: Not determined
Special Provisions: IB8, IP3, T1, TP33
Packaging Exceptions: 49CFR 173.153
Packaging Non-Bulk: 49CFR 173.213
Packaging Bulk: 49CFR 173.240
Reportable Quantity (RQ):
Marine Pollutant: No
Poison Inhalation Hazard: No
Special precautions for user: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.
Emergency Response Guidebook (ERG) #: 154

Important Note: Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Consult your company's Hazardous Materials/Dangerous Goods expert for information specific to your situation.

Section 15: Regulatory Information

US Federal Regulations

Toxic Substance Control Act (TSCA), Chemical Substance Inventory, Section 8(b)

This product or ingredient(s) are listed on the TSCA inventory. Any impurities present in this product are exempt from listing.

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substance List (40 CFR 302.4)

No chemical(s) in this material are subject to the reporting requirements of CERCLA.

Clean Air Act (CAA), Section 112(r)

No chemical(s) in this material are subject to the reporting requirements of CAA.

Emergency Planning and Community Right-To-Know Act (EPCRA)

EPCRA 302 Extremely Hazardous Substance

No chemical(s) in this material are subject to the reporting requirements of SARA Title III, Section 302.

EPCRA 304 Emergency Response Notification

No chemical(s) in this material are subject to the reporting requirements of SARA Title III, Section 304.

EPCRA 311/312 Emergency and Hazardous Materials Reporting

Fire Hazard: No
Sudden Release of Pressure: No
Reactive: No
Acute (Immediate) Health Hazard: Yes
Chronic (Delayed) Health Hazard: Yes

EPCRA 313 Toxic Chemical Release Inventory (TRI) Reporting

The following chemical(s) in this material are subject to reporting levels established by SARA Title III, Section 313:
Barium Hydroxide (CAS # 12230-71-6)

US State Regulations

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65)

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Important Note: Due to the changing nature of regulatory requirements, the information in this document should NOT be considered all-inclusive or authoritative. Users should make their own investigations to determine the suitability of the information for their particular purposes. International, Federal, State and Local regulations should be consulted to determine compliance with all required reporting requirements.

Section 16: Other Information

Hazardous Materials Identification System (HMIS®) Classification

Health Hazard: 3
Chronic Health Hazard: *
Flammability: 0
Physical Hazard: 0

(Hazard Rating: 0 – Minimal / 1 – Slight / 2 – Moderate / 3 – Serious / 4 – Severe)

National Fire Protection Association (NFPA 704) Rating

Health Hazard: 3
Fire Hazard: 0
Reactivity Hazard: 1

Special: N/A

(Hazard Rating: 0 – Minimal / 1 – Slight / 2 – Moderate / 3 – Serious / 4 – Severe)

Prepared By: Regulatory Manager
Version #: 001
Issue Date: October 6, 2022
Last Revised By: Regulatory Assistant C
Last Revision Date: 3/8/2024
Current Revision: 02
Sections Changed: Changes were made to section 16

Key to Abbreviations and Acronyms

ATE - Acute Toxicity Estimate	ACGIH - American Conference of Industrial Hygienists
BCF - Bioconcentration Factor	AIHA - American Industrial Hygiene Association
EC50 - Effective concentration, 50%	BEI - Biological Exposure Indices
IDHL - Immediately Dangerous to Life and Health	CAS - Chemical Abstracts Service
Kg - Kilogram	DOT - US Department of Transportation
l - Liter	EPA - US Environmental Protection Agency
lb - Pound	GHS - Globally Harmonized System of Classification and Labelling of Chemicals
LC50 - Lethal Concentration, 50%	IARC - International Agency for Research on Cancer
LD50 - Lethal Dose, 50%	IATA - International Air Transport Association
mg - milligram	IBC - Intermediate Bulk Container
ml - milliliter	IMDG - International Maritime Dangerous Goods
N/A - Not Applicable	NIOSH - National Institute for Occupational Safety and Health
N/D - Not Determined	NTP - National Toxicology Program
PEL - Permissible Exposure Limit	OSHA - US Occupational Health and Safety Administration
REL - Recommended Exposure Limit	SARA - US EPA Superfund Amendments and Reauthorization Act
STEL - Short-term Exposure Limit	TSCA - US EPA Toxic Substances Control Act
TWA - Time weighted average	UN - United Nations

References

HSDB® - Hazardous Substances Data Bank

Disclaimer

The information in this SDS was obtained from sources which we believe are reliable. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY WARRANTY, EXPRESS OR IMPLIED, REGARDING ITS CORRECTNESS. The conditions or methods of handling, storage, use, and disposal of the product are beyond our control and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.