

Section 1: Product & Company Information

Product Identifier: Diethylaminoethanol

Other Means of Identification

Product Number: 140003

Recommended Use and Restrictions on Use

Recommended Use: Laboratory chemicals, Manufacture of substances

Restrictions on Use : None known.

Manufacturer / Importer / Supplier / Distributor Information

Company Name: CORECHEM Inc.

Address: 4320 Greenway Drive

Knoxville, TN 37918

USA

Information Telephone Number: 1-865-524-4239

Fax Number: 1-865-524-3375

Website: www.corecheminc.com

Contact Person: Regulatory Manager

E-mail: regulatory@corecheminc.com

Emergency Phone Number: Chemtrec® 1-800-424-9300 / Outside USA 1-703-527-3887 (monitored 24 hours/day)

Section 2: Hazards Identification

GHS Hazard Classification(s)

In accordance with OSHA Hazard Communication Standard 29 CFR 1910.1200 (HazCom 2012).

Physical Hazard(s)

Flammable, Liquids - 3

Health Hazard(s)

Acute Toxicity, Dermal - 3

Acute Toxicity, Inhalation - 3

Corrosion/Irritation, Skin - 1B

Specific Target Organ Toxicity (STOT), Single exposure - 1

Environmental Hazard(s)

Not applicable.

Label Elements

Signal Word

DANGER

Hazard Symbol(s)



Hazard Statement(s)

H226: Flammable liquid and vapor.

H302: Harmful if swallowed.

H311: Toxic in contact with skin.

H312: Harmful in contact with skin.

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

H331: Toxic if inhaled.

H332: Harmful if inhaled.

H335: May cause respiratory Irritation.

H402: harmful to aquatic life.

Precautionary Statements

General

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P103: Read label before use.

Prevention

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.
 P233: Keep container tightly closed.
 P240: Ground/bond container and receiving equipment.
 P241: Use explosion-proof electrical/ventilating/lighting/equipment.
 P242: Use only non-sparking tools.
 P243: Take precautionary measures against static discharge.
 P260: Do not breathe dust/fume/gas/mist/vapors/spray.
 P261: Avoid breathing dust/fume/gas/mist/vapors/spray.
 P264: Wash face, hands and any exposed skin thoroughly after handling.
 P270: Do not eat, drink or smoke when using this product.
 P271: Use only outdoors or in a well-ventilated area.
 P273: Avoid release to the environment.
 P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response

P301 + P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
 P301 + P330 + P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
 P302 + P352: IF ON SKIN: Wash with plenty of soap and water.
 P303 + P361 + P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
 P304 + P340: IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.
 P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310: Immediately call a POISON CENTER or doctor/physician.
 P311: Call a POISON CENTER/doctor/physician
 P312: Call a POISON CENTER or doctor/physician if you feel unwell.
 P321: Specific treatment (see supplemental first aid instructions on this label).
 P322: Specific measures (see supplemental first aid instructions on this label).
 P330: Rinse mouth.
 P361+P364: Take off immediately all contaminated clothing and wash it before reuse.
 P363: Wash contaminated clothing before reuse.
 P370 + P378: In case of fire: Use suitable extinguishing media for extinction.

Storage

P403 + P235: Store in a well-ventilated place. Keep cool.
 P405: Store locked up.

Disposal

P501: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC)

None known.

Section 3: Composition/Information on Ingredients

Substance

Chemical Identity ²	Common Name/Synonym(s)	CAS # ³	Weight %	Impurity or Stabilizing Additive
N,N-Diethylethanolamine	DEAE, Diethylaminoethanol	100-37-8	75 - 100%	No

- Information regarding the composition and the percent ranges of the mixtures ingredients are not presented as it Confidential Business Information (CBI). Where a medical emergency exists (as determined by medical professional), timely disclosure of CBI is assured. The information omitted pertains to only the names of the substances and the concentration in the mixture (product) and can only be requested by a doctor/physician or Local/State/Provincial or Federal Authority.
- Non-hazardous ingredients are not presented as to protect the proprietary formula of the product.
- "—"Indicates ingredient is a mixture and contains multiple ingredients or may have no identifying CAS number.

Section 4: First-Aid Measures

General Information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Wash contaminated clothing before reuse.

Inhalation

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

Skin Contact

Take off immediately all contaminated clothing. Wash off IMMEDIATELY with plenty of water for at least 15-20 minutes. Get medical attention immediately! Wash clothing separately before reuse. Destroy or thoroughly clean contaminated shoes.

Eye Contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

Ingestion

Call a physician or poison control center immediately. Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important symptoms/effects, acute and delayed

Symptoms

No data available.

Indication of immediate medical attention and special treatment needed

Hazards

No data available.

Treatment

No data available.

Provide general supportive measures and treat symptomatically. In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

Section 5: Fire-Fighting Measures

General Fire Hazards

In case of fire and/or explosion do not breathe fumes. Use water spray to keep fire-exposed containers cool. Move containers from fire area if you can do so without risk. Water may be ineffective in fighting the fire. Fight fire from a protected location.

Suitable (and Unsuitable) Extinguishing Media

Suitable Extinguishing Media

Extinguishing powder, alcohol resistant foam, carbon dioxide, water fog

Unsuitable Extinguishing Media

No data available.

Specific Hazards Arising from the Chemical

Carbon oxides, Nitrogen oxides (NO_x)

Special Protective Equipment and Precautions for Firefighters

Special Fire-Fighting Equipment Procedures

Use water spray to keep fire-exposed containers cool. Water may be ineffective in fighting the fire. Fight fire from a protected location. Move containers from fire area if you can do so without risk. Water runoff can cause environmental damage. Dike and collect water used to fight fire. Water spray to cool containers or protect personnel. Use with caution.

Special Protective Equipment for Fire-Fighters

As in any fire, wear self-contained breathing apparatus pressure-demand (OSHA/NIOSH approved or equivalent) and full protective gear.

Section 6: Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

Use personal protective equipment. See Section 8 of the SDS for Personal Protective Equipment. Keep unauthorized personnel away. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Evacuate area.

Methods and Materials for Containment and Clean-Up

Eliminate all ignition sources if safe to do so. Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Clean surface thoroughly to remove residual contamination. Dike far ahead of larger spill for later recovery and disposal.

Notification Procedures

Notify authorities if any exposure to the general public or environment occurs or is likely to occur. Local authorities should be advised if significant spillages cannot be contained.

Environmental Precautions

Use appropriate containment of product and firefighting water to avoid environmental contamination. Prevent from spreading or entering drains, ditches, or rivers by using sand, earth, or other appropriate barriers.

Section 7: Handling and Storage

Precautions for Safe Handling

DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Take precautionary measures against static discharges. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Ground/bond container and receiving

equipment. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using the product. Use caution when adding this material to water. See Section 8 of the SDS for Personal Protective Equipment. Avoid contact with eyes. Avoid contact with skin.

Conditions for Safe Storage, including any Incompatibilities

Keep away from food, drink and animal feeding stuffs. Do not store in metal containers. Ground container and transfer equipment to eliminate static electric sparks. Comply with all national, state, and local codes pertaining to the storage, handling, dispensing, and disposal of flammable liquids. Keep container tightly closed. Store in cool, dry place. Store in a well-ventilated place.

Section 8: Exposure Controls/Personal Protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Type	Value	Source
N,N-Diethylethanolamine	TWA	2 ppm	US. ACGIH Threshold Limit Values
N,N-Diethylethanolamine	STEL	No data available.	US. ACGIH Threshold Limit Values
N,N-Diethylethanolamine	TWA	10 ppm	US OSHA PEL Table Z-1
N,N-Diethylethanolamine	CEILING	No data available.	US OSHA PEL Table Z-1

Biological Limit Values

The product does not contain any relevant quantities of hazardous materials with assigned biological limit values.

Appropriate Engineering Controls

No data available.

Individual protection measures, such as personal protective equipment (PPE)

General Information

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work area. Use explosion-proof ventilation equipment.

Eye/Face Protection

Wear safety glasses with side shields (or goggles) and a face shield. Wear a full-face respirator, if needed.

Skin Protection

Hand Protection

Wear appropriate chemical resistant gloves.

Other

Wear appropriate chemical resistant clothing.

Respiratory Protection

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Air-purifying respirator with an appropriate, government approved (where applicable), air-purifying filter, cartridge or canister. Contact health and safety professional or manufacturer for specific information

Hygiene Measures

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated footwear that cannot be cleaned. Wash hands before breaks and immediately after handling the product. Wash contaminated clothing before reuse. Avoid contact with eyes, skin, and clothing.

Section 9: Physical and Chemical Properties

Appearance:

Physical State: Liquid
Color: Colorless to slightly yellow

Odor: Typical

Odor Threshold: No data available.

pH: 11.5

Melting Point/Freezing Point: No data available.

Initial Boiling Point and Boiling Range: 161°C (324 °F) - lit.

Flash Point: 50°C (125 °F) - closed cup

Evaporation Rate (butyl acetate=1): 0.2

Flammability (solid, gas): No data available.

Upper/Lower Limit on Flammability or Explosive Limits

Flammability Limit – Upper: No data available.

Flammability Limit – Lower: No data available.

Explosive Limit – Upper: 11.7% (V)

Explosive Limit – Lower:	1.4% (V)
Vapor Pressure:	2 hPa (1 mmHg) at 22.4 °C (68 °F)
Vapor Density (air =1):	4.0 - (Air = 1.0)
Relative Density (water=1):	0.884 g/cm ³ at 25 °C (77 °F)
Solubility(ies):	
Solubility in water:	Miscible.
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-Ignition Temperature:	No data available.
Decomposition Temperature:	No data available.
Viscosity:	No data available.
Other Information:	
Molecular Weight:	No data available.
Formula:	No data available.

Section 10: Stability and Reactivity

Reactivity

No data available.

Chemical Stability

Material is stable under normal conditions.

Possibility of Hazardous Reactions

No data available

Conditions to Avoid

Heat, sparks, flames. Moisture. Contact with incompatible materials.

Incompatible Materials

Strong oxidizing agents. Peroxides. Caustics. Metals. Prevent contact with halogens. Avoid contact with acids including mineral acids. Prevent contact with isocyanates.

Hazardous Decomposition Products

During combustion carbon monoxide may be formed. During combustion carbon dioxide may be formed. Decomposition releases nitrogen oxides.

Section 11: Toxicological Information

Information on routes of exposure

Ingestion: Ingestion may cause moderate to severe gastrointestinal irritation and ulceration including nausea, vomiting and pain.

Inhalation: Overexposure to vapors may result in a condition known as "blue haze" or "glauropsia". Symptoms include blurred vision, appearance of looking through a blue haze and the appearance of halos around bright objects. The effects last a few hours and there are no long-term effects. Vapors can cause irritation to the respiratory tract.

Skin Contact: May cause skin sensitization, an allergic reaction, which becomes evident on re-exposure to this material. Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin irritation and dermatitis (rash). Corrosive, causes burns and permanent skin damage (scarring).

Eye Contact: Causes eye burns.

Information on Toxicological Effects

Acute Toxicity (List all possible routes of exposure)

Oral

Diethylaminoethanol: LD50 (Rat): >1,320 mg/kg

Dermal

Diethylaminoethanol: LD50 (Rabbit): >885 mg/kg

Inhalation

Diethylaminoethanol: LC50 (Mouse): >4.6 mg/m³

Repeated Dose Toxicity

No data available.

Skin Corrosion/Irritation

May cause irritation.

Serious Eye Damage/Eye Irritation

Causes severe eye irritation.

Respiratory/Skin Sensitization

No a skin/respiratory sensitizer.

Carcinogenicity

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

US. National Toxicology Program (NTP) Report on Carcinogens

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Germ Cell Mutagenicity

In Vitro

No data available.

In Vivo

No data available.

Reproductive Toxicity

No data available.

Specific Target Organ Toxicity – Single Exposure

No data available.

Specific Target Organ Toxicity – Repeated Exposure

No data available.

Aspiration Hazard

No data available.

Chronic Hazard

Overexposure may cause kidney damage. May cause liver disorder (e.g., edema, proteinuria) and damage.

Other Effects

None known.

Section 12: Ecological Information

Ecotoxicity

Acute Hazards to the Aquatic Environment

Fish

Diethylaminoethanol: LC50 (Golden orfe (Leuciscus idus), 96 H): 100 – 200 mg/l

Aquatic Invertebrates

Diethylaminoethanol: EC50 (Water flea (Daphnia magna), 48 h): 83.6 mg/l

Toxicity to Aquatic Plants

No data available.

Chronic Hazards to the Aquatic Environment

Fish

No data available.

Aquatic Invertebrates

No data available.

Toxicity to Aquatic Plants

No data available.

Persistence and Degradability

Biodegradation

Expected to be readily biodegradable.

BOD/COD Ratio

No data available.

Bioaccumulative Potential

Bioconcentration Factor (BCF)

No data available on bioaccumulation.

Partition Coefficient n-octanol / water (log Kow)

No data available.

Mobility in Soil

No data available.

Other Adverse Effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Harmful to aquatic life.

Section 13: Disposal Considerations

Disposal Instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Contaminated Packaging

Handle contaminated packages in the same way as the substance itself. Emptied containers may retain hazardous residue and explosive vapors. Keep away from heat, sparks, and flames. Do not cut, puncture, or weld on or near this container. Follow label warnings until container is thoroughly cleaned or destroyed.

Section 14: Transportation Information

US Department of Transportation (DOT)

UN Number: UN2686
UN Proper Shipping Name: 2-Diethylaminoethanol
Technical Name:
Hazard Class : 8
Subsidiary Hazard Risk: 3
Packing Group: II
DOT Label/Placard Exemptions: Not determined
Special Provisions: B2, IB2, T7, TP2
Packaging Exceptions: None
Packaging Non-Bulk: 49CFR 173.202
Packaging Bulk: 49CFR 173.243
Reportable Quantity (RQ): None
Marine Pollutant: No
Poison Inhalation Hazard: No

Special precautions for user: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Emergency Response Guidebook (ERG) #: 132

Important Note: Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Consult your company's Hazardous Materials/Dangerous Goods expert for information specific to your situation.

Section 15: Regulatory Information

US Federal Regulations

Toxic Substance Control Act (TSCA), Chemical Substance Inventory, Section 8(b)

This product or ingredient(s) are listed on the TSCA inventory. Any impurities present in this product are exempt from listing.

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substance List (40 CFR 302.4)

The following chemical(s) in this material are subject to reporting levels established by CERCLA: N,N-Diethylethanolamine

Clean Air Act (CAA), Section 112(r)

No chemical(s) in this material are subject to the reporting requirements of CAA.

Emergency Planning and Community Right-To-Know Act (EPCRA)

EPCRA 302 Extremely Hazardous Substance

No chemical(s) in this material are subject to the reporting requirements of SARA Title III, Section 302.

EPCRA 304 Emergency Response Notification

No chemical(s) in this material are subject to the reporting requirements of SARA Title III, Section 304.

EPCRA 311/312 Emergency and Hazardous Materials Reporting

Fire Hazard: Yes
Sudden Release of Pressure: No
Reactive: No
Acute (Immediate) Health Hazard: Yes
Chronic (Delayed) Health Hazard: Yes

EPCRA 313 Toxic Chemical Release Inventory (TRI) Reporting

This material does not contain any chemical(s) with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65)

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Important Note: Due to the changing nature of regulatory requirements, the information in this document should NOT be considered all-inclusive or authoritative. Users should make their own investigations to determine the suitability of the information for their particular purposes. International, Federal, State and Local regulations should be consulted to determine compliance with all required reporting requirements.

Section 16: Other Information

Hazardous Materials Identification System (HMIS®) Classification

Health Hazard: 3
Chronic Health Hazard: *
Flammability: 2
Physical Hazard: 0
Personal Protection: X

(Hazard Rating: 0 – Minimal / 1 – Slight / 2 – Moderate / 3 – Serious / 4 – Severe)

National Fire Protection Association (NFPA 704) Rating

Health Hazard: 3
Fire Hazard: 2
Reactivity Hazard: 0
Special: N/A

(Hazard Rating: 0 – Minimal / 1 – Slight / 2 – Moderate / 3 – Serious / 4 – Severe)

Prepared By: Regulatory Manager

Version #: 001

Issue Date: June 17, 2015

Last Revised By: Regulatory Assistant C

Last Revision Date: 3/22/2024

Current Revision: 02

Sections Revised: Changes were made to sections

Key to Abbreviations and Acronyms

ATE - Acute Toxicity Estimate	ACGIH - American Conference of Industrial Hygienists
BCF - Bioconcentration Factor	AIHA - American Industrial Hygiene Association
EC50 - Effective concentration, 50%	BEI - Biological Exposure Indices
IDHL - Immediately Dangerous to Life and Health	CAS - Chemical Abstracts Service
Kg - Kilogram	DOT - US Department of Transportation
l - Liter	EPA - US Environmental Protection Agency
lb - Pound	GHS - Globally Harmonized System of Classification and Labelling of Chemicals
LC50 - Lethal Concentration, 50%	IARC - International Agency for Research on Cancer
LD50 - Lethal Dose, 50%	IATA - International Air Transport Association
mg - milligram	IBC - Intermediate Bulk Container
ml - milliliter	IMDG - International Maritime Dangerous Goods
N/A - Not Applicable	NIOSH - National Institute for Occupational Safety and Health
N/D - Not Determined	NTP - National Toxicology Program
PEL - Permissible Exposure Limit	OSHA - US Occupational Health and Safety Administration
REL - Recommended Exposure Limit	SARA - US EPA Superfund Amendments and Reauthorization Act
STEL - Short-term Exposure Limit	TSCA - US EPA Toxic Substances Control Act
TWA - Time weighted average	UN - United Nations

References

HSDB® - Hazardous Substances Data Bank

Disclaimer

The information in this SDS was obtained from sources which we believe are reliable. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY WARRANTY, EXPRESS OR IMPLIED, REGARDING ITS CORRECTNESS. The conditions or methods of handling, storage, use, and disposal of the product are beyond our control and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.