

### Section 1: Product & Company Information

**Product Identifier:** GlycoChill+™ E-250 Heat Transfer Fluid

**Other Means of Identification**

Product Number: No data available.

**Recommended Use and Restrictions on Use**

Recommended Use: Heat Transfer Fluid  
Restrictions on Use : None known.

**Manufacturer / Importer / Supplier / Distributor Information**

**Company Name:** Greenway Products Inc.  
**Address:** 4320 Greenway Drive  
Knoxville, TN 37918  
USA

**Information Telephone Number:** 1-865-524-4239  
**Fax Number:** 1-865-524-3375  
**Website:** www.greenwayproductsinc.com  
**Contact Person:** Regulatory Manager  
**E-mail:** regulatory@greenwayproductsinc.com

**Emergency Phone Number:** Chemtrec® 1-800-424-9300 / Outside USA 1-703-527-3887 (monitored 24 hours/day)

### Section 2: Hazards Identification

**GHS Hazard Classification(s)**

In accordance with OSHA Hazard Communication Standard 29 CFR 1910.1200 (HazCom 2012).

**Physical Hazard(s)**

Not classified.

**Health Hazard(s)**

Acute Toxicity, Oral - 4  
Corrosion/Irritation, Skin - 2  
Specific Target Organ Toxicity (STOT), Single exposure - 1  
Specific Target Organ Toxicity (STOT), Repeated exposure - 2

**Environmental Hazard(s)**

Not classified.

**Label Elements**

**Signal Word**

**DANGER**

**Hazard Symbol(s)**



**Hazard Statement(s)**

H302: Harmful if swallowed.  
H315: Causes skin irritation.  
H370: Causes damage to organs.  
H373: May cause damage to organs.

**Precautionary Statements**

**General**

Not applicable.

**Prevention**

- P260: Do not breathe dust/fume/gas/mist/vapors/spray.
- P264: Wash face, hands and any exposed skin thoroughly after handling.
- P270: Do not eat, drink or smoke when using this product.
- P280: Wear protective gloves/protective clothing/eye protection/face protection.

#### Response

- P301 + P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
- P302 + P352: IF ON SKIN: Wash with plenty of soap and water.
- P307 + P311: IF exposed: Call a POISON CENTER or doctor/physician.
- P314: Get medical advice/attention if you feel unwell.
- P321: Specific treatment (see supplemental first aid instructions on this label).
- P330: Rinse mouth.
- P332 + P313: If skin irritation occurs: Get medical advice/attention.
- P362: Take off contaminated clothing and wash before reuse.

#### Storage

- P405: Store locked up.

#### Disposal

- P501: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

#### Hazard(s) not otherwise classified (HNOC)

None known.

## Section 3: Composition/Information on Ingredients

#### Mixture

Chemical Identity <sup>2</sup>	Common Name/Synonym(s)	CAS # <sup>3</sup>	Weight %	Impurity or Stabilizing Additive
Ethylene Glycol		107-21-1	48 – 52%	No
Diethylene Glycol (impurity)		111-46-6	<= 5%	No
Dipotassium Monohydrogen Phosphate		7758-11-4	< 3%	No

1. Information regarding the composition and the percent ranges of the mixtures ingredients are not presented as it Confidential Business Information (CBI). Where a medical emergency exists (as determined by medical professional), timely disclosure of CBI is assured. The information omitted pertains to only the names of the substances and the concentration in the mixture (product) and can only be requested by a doctor/physician or Local/State/Provincial or Federal Authority.
2. Non-hazardous ingredients are not presented as to protect the proprietary formula of the product.
3. "—"Indicates ingredient is a mixture and contains multiple ingredients or may have no identifying CAS number.

## Section 4: First-Aid Measures

#### General Information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Wash contaminated clothing before reuse.

#### Inhalation

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### Skin Contact

Take off immediately all contaminated clothing. Wash off IMMEDIATELY with plenty of water for at least 15-20 minutes. Get medical attention immediately! Wash clothing separately before reuse. Destroy or thoroughly clean contaminated shoes.

#### Eye Contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

#### Ingestion

Call a physician or poison control center immediately. Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

#### Most important symptoms/effects, acute and delayed

##### Symptoms

Kidney Damage

#### Indication of immediate medical attention and special treatment needed

##### Hazards

No data available.

##### Treatment

Provide general supportive measures and treat symptomatically. In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

## Section 5: Fire-Fighting Measures

### General Fire Hazards

No unusual fire or explosion hazards noted.

### Suitable (and Unsuitable) Extinguishing Media

#### Suitable Extinguishing Media

Extinguishing powder, alcohol resistant foam, carbon dioxide, water fog

#### Unsuitable Extinguishing Media

Even if material is water soluble, may not be practical to extinguish fire by water dilution.

### Specific Hazards Arising from the Chemical

Ethylene glycol mist in air is a moderate fire and explosion hazard.

### Special Protective Equipment and Precautions for Firefighters

#### Special Fire-Fighting Equipment Procedures

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers.

#### Special Protective Equipment for Fire-Fighters

As in any fire, wear self-contained breathing apparatus pressure-demand (OSHA/NIOSH approved or equivalent) and full protective gear.

## Section 6: Accidental Release Measures

### Personal Precautions, Protective Equipment and Emergency Procedures

Evacuate spill area. Isolate hazard area and deny entry to unnecessary or unprotected personnel. Stay upwind and keep out of low area. Remove all possible sources of ignition in the surrounding area. Wear appropriate personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. See Section 8 of the SDS for Personal Protective Equipment. Ventilate contaminated area thoroughly shut off leaks if possible without personal risk.

### Methods and Materials for Containment and Clean-Up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste container. Following product recovery, flush area with water.

Small Spills: Absorb spill with vermiculite or other inert material. Clean surface thoroughly to remove residual contamination.

Never return spills in original containers for re-use. For waste disposal, see Section 13 of the SDS.

### Notification Procedures

In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

### Environmental Precautions

Avoid discharge into drains, water courses or onto the ground.

## Section 7: Handling and Storage

### Precautions for Safe Handling

Use caution when handling/transferring. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Do not breathe mist or vapor. Use only with adequate ventilation. Wear appropriate personal protective equipment. Transfer and storage systems should be compatible. Observe good industrial hygiene practices.

### Conditions for Safe Storage, including any Incompatibilities

Keep container tightly closed. Store in a cool, dry, well-ventilated place. Store away from incompatible materials (See Section 10). Ensure that all local regulations regarding handling and storage facilities are followed.

## Section 8: Exposure Controls/Personal Protection

### Control Parameters

#### Occupational Exposure Limits

Chemical Identity	Type	Value	Source
Ethylene Glycol	Ceiling	100 mg/m <sup>3</sup> (aerosol only)	US. ACGIH Threshold Limit Values

#### Biological Limit Values

The product does not contain any relevant quantities of hazardous materials with assigned biological limit values.

## Appropriate Engineering Controls

No data available.

## Individual protection measures, such as personal protective equipment (PPE)

### General Information

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

### Eye/Face Protection

Wear safety glasses with side shields (or goggles) and a face shield. Wear a full-face respirator, if needed.

### Skin Protection

#### Hand Protection

Wear appropriate chemical resistant gloves.

#### Other

Wear appropriate chemical resistant clothing.

### Respiratory Protection

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Air-purifying respirator with an appropriate, government approved (where applicable), air-purifying filter, cartridge or canister. Contact health and safety professional or manufacturer for specific information

### Hygiene Measures

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated footwear that cannot be cleaned. Wash hands before breaks and immediately after handling the product. Wash contaminated clothing before reuse. Avoid contact with eyes, skin, and clothing.

## Section 9: Physical and Chemical Properties

### Appearance:

Physical State: Liquid

Color: Dark Pink/Red

### Odor:

Slight Sweet Odor

### Odor Threshold:

No data available.

### pH:

9.5 – 10.5

### Melting Point/Freezing Point:

-31.2° F

### Initial Boiling Point and Boiling

225° F

### Range:

#### Flash Point:

232 °F (111 °C) (as Ethylene Glycol)

#### Evaporation Rate (butyl acetate=1):

No data available.

#### Flammability (solid, gas):

No data available.

#### Upper/Lower Limit on Flammability or Explosive Limits

Flammability Limit – Upper: 3.2 vol% (as Ethylene Glycol)

Flammability Limit – Lower: 15.3 vol% (as Ethylene Glycol)

Explosive Limit – Upper: Not applicable.

Explosive Limit – Lower: Not applicable.

#### Vapor Pressure:

0.1 hPa (0.1 mm Hg) at 77 °F (25 °C) (as Ethylene Glycol)

#### Vapor Density (air =1):

2.14 as Ethylene Glycol

#### Relative Density (water=1):

1.075 g/cm<sup>3</sup> at 68 °F (20 °C)

#### Solubility(ies):

Solubility in water: Miscible in water.

Solubility (other): No data available.

#### Partition coefficient (n-octanol/water):

log Pow: -1.36 (as Ethylene Glycol)

#### Auto-Ignition Temperature:

748 °F (398 °C) (as Ethylene Glycol)

#### Decomposition Temperature:

Not determined

#### Viscosity:

145 mm<sup>2</sup>/s at 77 °F (25 °C) (as Ethylene Glycol)

### Other Information:

Molecular Weight: 62.06784 g/mol

Formula: C<sub>2</sub>H<sub>6</sub>O<sub>2</sub>

## Section 10: Stability and Reactivity

**Reactivity**

The product is stable.

**Chemical Stability**

Material is stable under normal conditions.

**Possibility of Hazardous Reactions**

Hazardous polymerization does not occur.

**Conditions to Avoid**

Heat, sparks, open flames, and strong oxidizing conditions.

**Incompatible Materials**

Strong oxidizers. Strong acids. Permanganates. Peroxides. Dichromates. Reactive sodium compounds. Sulfur compounds. Alkali metals. Nitrates.

**Hazardous Decomposition Products**

Carbon Monoxide and Carbon Dioxide.

**Section 11: Toxicological Information****Information on routes of exposure**

**Ingestion:** Harmful if swallowed. Ingestion may include inebriation, nausea and vomiting, metabolic acidosis, and CNS depression. Tachycardia, hypertension, hyperventilation, hypoxia and renal failure are also possible.

**Inhalation:** Not classified.

**Skin Contact:** May cause skin sensitization.

**Eye Contact:** Not classified.

**Information on Toxicological Effects****Acute Toxicity (List all possible routes of exposure)****Oral**

Ethylene Glycol: LD50 (Rat): 7,712 mg/kg

Dipotassium Monohydrogen Phosphate: LD50 (Rat – Female): > 2,000 mg/kg

**Dermal**

Ethylene Glycol: LD50 (Mouse): > 3500 mg/kg

Dipotassium Monohydrogen Phosphate: LD50 (Rabbit): > 5,000 mg/kg

**Inhalation**

Ethylene Glycol: LC50 (Rat, 6 h): > 2.5 mg/l

**Repeated Dose Toxicity**

No data available.

**Skin Corrosion/Irritation**

Causes skin irritation.

**Serious Eye Damage/Eye Irritation**

Not classified.

**Respiratory/Skin Sensitization**

Not sensitizing.

**Carcinogenicity****IARC Monographs on the Evaluation of Carcinogenic Risks to Humans**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**US. National Toxicology Program (NTP) Report on Carcinogens**

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)**

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Germ Cell Mutagenicity****In Vitro**

Not classified.

**In Vivo**

Not classified.

**Reproductive Toxicity**

May be toxic to embryo/fetal development and teratogenic at high exposure levels. (Based on Diethylene Glycol)

**Specific Target Organ Toxicity – Single Exposure**

Classified, Causes damage to organs. Ingestion may include inebriation, nausea and vomiting, metabolic acidosis, and CNS depression. Tachycardia, hypertension, hyperventilation, hypoxia and renal failure are also possible. Routes of exposure: Ingestion Target Organs: Central nervous system, Kidney

**Specific Target Organ Toxicity – Repeated Exposure**

Classified, May cause damage to organs through prolonged or repeated exposure., Kidney and bladder effects due to the formation of oxalate crystals may occur following prolonged exposure to high oral doses. Routes of exposure: Ingestion Target Organs: Kidney

**Aspiration Hazard**

Based on physico-chemical values or lack of human evidence, not classified.

**Other Effects**

No data available.

**Section 12: Ecological Information****Ecotoxicity****Acute Hazards to the Aquatic Environment****Fish**

No data available.

**Aquatic Invertebrates**

No data available.

**Toxicity to Aquatic Plants**

No data available.

**Chronic Hazards to the Aquatic Environment****Fish**

No data available.

**Aquatic Invertebrates**

No data available.

**Toxicity to Aquatic Plants**

No data available.

**Persistence and Degradability****Biodegradation**

Rapidly degradable: 90 - 100 % Testing period: 10 d

**BOD/COD Ratio**

No data available.

**Bioaccumulative Potential****Bioconcentration Factor (BCF)**

This material is not expected to bioaccumulate.

**Partition Coefficient n-octanol / water (log Kow)**

No data available.

**Mobility in Soil**

Stability in soil: Low potential for soil adsorption expected (QSAR calculated value)

**Other Adverse Effects**

No data available.

**Section 13: Disposal Considerations****Disposal Instructions**

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

**Contaminated Packaging**

Handle contaminated packages in the same way as the substance itself. Emptied containers may retain hazardous residue and explosive vapors. Keep away from heat, sparks, and flames. Do not cut, puncture, or weld on or near this container. Follow label warnings until container is thoroughly cleaned or destroyed.

**Section 14: Transportation Information**

**US Department of Transportation (DOT)**

UN Number: UN 3082  
UN Proper Shipping Name: Environmentally hazardous substance, liquid, n.o.s.  
Technical Name: Ethylene glycol  
Hazard Class : 9  
Subsidiary Hazard Risk: -  
Packing Group: III  
DOT Label/Placard Exemptions: 49CFR 172.504(f)(9); 49CFR 172.324 Not considered a hazardous substance in non-bulk.  
Special Provisions: 8, 146, 173, 335, IB3, T4, TP1, TP29  
Packaging Exceptions: 49CFR 173.155  
Packaging Non-Bulk: 49CFR 173.203  
Packaging Bulk: 49CFR 173.241  
Reportable Quantity (RQ): 5000lb (2270kg)  
Marine Pollutant: No  
Poison Inhalation Hazard: No  
Special precautions for user: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.  
Emergency Response Guidebook (ERG) #: 171

*Important Note: Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Consult your company's Hazardous Materials/Dangerous Goods expert for information specific to your situation.*

**Section 15: Regulatory Information****US Federal Regulations****Toxic Substance Control Act (TSCA), Chemical Substance Inventory, Section 8(b)**

This product or ingredient(s) are listed on the TSCA inventory. Any impurities present in this product are exempt from listing.

**Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substance List (40 CFR 302.4)**

The following chemical(s) in this material are subject to reporting levels established by CERCLA:  
Ethylene Glycol (CAS# 107-21-1)

**Clean Air Act (CAA), Section 112(r)**

No chemical(s) in this material are subject to the reporting requirements of CAA.

**Emergency Planning and Community Right-To-Know Act (EPCRA)****EPCRA 302 Extremely Hazardous Substance**

No chemical(s) in this material are subject to the reporting requirements of SARA Title III, Section 302.

**EPCRA 304 Emergency Response Notification**

No chemical(s) in this material are subject to the reporting requirements of SARA Title III, Section 304.

**EPCRA 311/312 Emergency and Hazardous Materials Reporting**

Fire Hazard: No  
Sudden Release of Pressure: No  
Reactive: No  
Acute (Immediate) Health Hazard: Yes  
Chronic (Delayed) Health Hazard: Yes

**EPCRA 313 Toxic Chemical Release Inventory (TRI) Reporting**

The following chemical(s) in this material are subject to reporting levels established by SARA Title III, Section 313:  
Ethylene Glycol (CAS# 107-21-1)

**US State Regulations****California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65)**

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

*Important Note: Due to the changing nature of regulatory requirements, the information in this document should NOT be considered all-inclusive or authoritative. Users should make their own investigations to determine the suitability of the information for their particular purposes. International, Federal, State and Local regulations should be consulted to determine compliance with all required reporting requirements.*

**Section 16: Other Information****Hazardous Materials Identification System (HMIS®) Classification**

**Health Hazard: 1**  
**Chronic Health Hazard: \***  
**Flammability: 1**  
**Physical Hazard: 0**

(Hazard Rating: 0 – Minimal / 1 – Slight / 2 – Moderate / 3 – Serious / 4 – Severe)

## National Fire Protection Association (NFPA 704) Rating

Health Hazard: 1

Fire Hazard: 1

Reactivity Hazard: 0

Special: N/A

(Hazard Rating: 0 – Minimal / 1 – Slight / 2 – Moderate / 3 – Serious / 4 – Severe)

Prepared By: Regulatory Manager

Version #: 001

Issue Date: August 5, 2015

Revision Date: -

Revisions: -

## Key to Abbreviations and Acronyms

ATE - Acute Toxicity Estimate

BCF - Bioconcentration Factor

EC50 - Effective concentration, 50%

IDHL – Immediately Dangerous to Life and Health

Kg – Kilogram

l – Liter

lb – Pound

LC50 - Lethal Concentration, 50%

LD50 - Lethal Dose, 50%

mg - milligram

ml – milliliter

N/A – Not Applicable

N/D – Not Determined

PEL – Permissible Exposure Limit

REL – Recommended Exposure Limit

STEL – Short-term Exposure Limit

TWA - Time weighted average

ACGIH - American Conference of Industrial Hygienists

AIHA – American Industrial Hygiene Association

BEI - Biological Exposure Indices

CAS – Chemical Abstracts Service

DOT – US Department of Transportation

EPA – US Environmental Protection Agency

GHS - Globally Harmonized System of Classification and Labelling of Chemicals

IARC - International Agency for Research on Cancer

IATA - International Air Transport Association

IBC - Intermediate Bulk Container

IMDG - International Maritime Dangerous Goods

NIOSH – National Institute for Occupational Safety and Health

NTP – National Toxicology Program

OSHA – US Occupational Health and Safety Administration

SARA – US EPA Superfund Amendments and Reauthorization Act

TSCA – US EPA Toxic Substances Control Act

UN - United Nations

## References

HSDB® - Hazardous Substances Data Bank

## Disclaimer

The information in this SDS was obtained from sources which we believe are reliable. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY WARRANTY, EXPRESS OR IMPLIED, REGARDING ITS CORRECTNESS. The conditions or methods of handling, storage, use, and disposal of the product are beyond our control and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.