

Print Date: September 22, 2025

Section 1: Product & Company Information

Product Identifier: Salt, Solar Crystal, NSF (Undried or Kiln Dried)

Other Means of Identification

Product Number: 161011

Recommended Use and Restrictions on Use

Recommended Use: Not available. Restrictions on Use: Not known.

Manufacturer / Importer / Supplier / Distributor Information

Company Name: CORECHEM Inc.

Address: 4320 Greenway Drive

Knoxville, TN 37918 USA

Information Telephone Number: 1-865-524-4239

Fax Number: 1-865-524-3375
Website: www.corecheminc.com
Contact Person: Regulatory Manager

E-mail: regulatory@corecheminc.com

Emergency Phone Number: Chemtrec® 1-800-424-9300 / Outside USA 1-703-527-3887 (monitored 24 hours/day)

Section 2: Hazards Identification

GHS Hazard Classification(s)

Not classified as hazardous according to OSHA Hazard Communication Standard 29 CFR 1910.1200 (HazCom 2012).

Section 3: Composition/Information on Ingredients

Substance

Chemical Identity ²	Common Name/Synonym(s)	CAS # ³	Weight %	Impurity or Stabilizing Additive
Sodium Chloride	Solar Salt, Undried, Kiln Dried	7647-14-5	100%	No

^{1.} Information regarding the composition and the percent ranges of the mixtures ingredients are not presented as it Confidential Business Information (CBI). Where a medical emergency exists (as determined by medical professional), timely disclosure of CBI is assured. The information omitted pertains to only the names of the substances and the concentration in the mixture (product) and can only be requested by a doctor/physician or Local/State/Provincial or Federal Authority.

Section 4: First-Aid Measures

General Information

Get medical advice/attention if you feel unwell. Show this safety data sheet to the doctor in attendance.

Inhalation

If dust from the material is inhaled, remove the affected person immediately to fresh air. Call a physician if symptoms develop or persist.

Skin Contact

Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing. Wash contaminated clothing before reuse.

Eye Contact

Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention if symptoms occur.

Ingestion

Call a physician or poison control center. Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important symptoms/effects, acute and delayed Symptoms

pionis

Causes serious eye irritation.

Indication of immediate medical attention and special treatment needed

Hazards

No data available.

Treatment

^{2.} Non-hazardous ingredients are not presented as to protect the proprietary formula of the product.

^{3. &}quot;—"Indicates ingredient is a mixture and contains multiple ingredients or may have no identifying CAS number.



Print Date: September 22, 2025

Treat symptomatically. Symptoms may be delayed.

Section 5: Fire-Fighting Measures

General Fire Hazards

No unusual fire or explosion hazards noted.

Suitable (and Unsuitable) Extinguishing Media

Suitable Extinguishing Media

Use fire-extinguishing media appropriate for surrounding materials. Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable Extinguishing Media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific Hazards Arising from the Chemical

During fire, gases hazardous to health may be formed. During fire, gases hazardous to health may be formed such as: Carbon oxides (COx). Hydrogen Chloride (HCl). Sodium oxides.

Special Protective Equipment and Precautions for Firefighters

Special Fire-Fighting Equipment Procedures

Move containers from fire area if you can do so without risk. Use water spray to keep fire-exposed containers cool. Cool containers exposed to flames with water until well after the fire is out.

Special Protective Equipment for Fire-Fighters

As in any fire, wear self-contained breathing apparatus pressure-demand (OSHA/NIOSH approved or equivalent) and full protective gear.

Section 6: Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

Evacuate spill area. Isolate hazard area and deny entry to unnecessary or unprotected personnel. Stay upwind and keep out of low area. Remove all possible sources of ignition in the surrounding area. Wear appropriate personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. See Section 8 of the SDS for Personal Protective Equipment. Ventilate contaminated area thoroughly shut off leaks if possible without personal risk.

Methods and Materials for Containment and Clean-Up

If sweeping of a contaminated area is necessary, use a dust suppressant agent which does not react with the product. Collect dust using a vacuum cleaner equipped with HEPA filter. Minimize dust generation and accumulation. Avoid release to the environment. Following product recovery, flush area with water.

Notification Procedures

Prevent entry into waterways, sewers, basements or confined areas. Inform authorities if large amounts are involved.

Environmental Precautions

Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

Section 7: Handling and Storage

Precautions for Safe Handling

Provide appropriate exhaust ventilation at places where dust is formed. Minimize dust generation and accumulation. Avoid breathing dust. Avoid contact with eyes. Avoid contact with water and moisture. Keep away from strong acids. Practice good housekeeping.

Conditions for Safe Storage, including any Incompatibilities

Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Becomes hygroscopic at 70-75% relative humidity. Avoid humid or wet conditions as product will cake and become hard.

Section 8: Exposure Controls/Personal Protection

Control Parameters

Occupational Exposure Limits

The product does not contain any relevant quantities of hazardous materials with critical values that have to be monitored in the workplace.

Biological Limit Values

The product does not contain any relevant quantities of hazardous materials with assigned biological limit values.

Appropriate Engineering Controls

Ventilation should be sufficient to effectively remove and prevent buildup of any dusts or fumes that may be generated during handling or thermal processing.

Individual protection measures, such as personal protective equipment (PPE)



Print Date: September 22, 2025

General Information

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Eye/Face Protection

Use tight fitting goggles if dust is generated.

Skin Protection

Hand Protection

Wear appropriate chemical resistant gloves.

Other

Wear appropriate chemical resistant clothing.

Respiratory Protection

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits.

Hygiene Measures

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated footwear that cannot be cleaned. Wash hands before breaks and immediately after handling the product. Wash contaminated clothing before reuse. Avoid contact with eyes, skin, and clothing.

Section 9: Physical and Chemical Properties

Appearance:

Physical State: Solid, Crystalline Color: Colorless, White

Odor: Halogen odor when heated

Odor Threshold:No data available.pH:No data available.Melting Point/Freezing Point:1473.8 °F (801 °C)

Initial Boiling Point and Boiling 2669 °F (1465 °C) (760 mmHg)

Range: Flash Point:

Evaporation Rate (butyl acetate=1): No data available.
Flammability (solid, gas): No data available.
Upper/Lower Limit on Flammability or Explosive Limits
Flammability Limit – Upper: No data available.
Flammability Limit – Lower: No data available.

Flammability Limit – Opper: No data available.
Flammability Limit – Lower: No data available.
Explosive Limit – Upper: No data available.
Explosive Limit – Lower: No data available.

Vapor Pressure: 2.4 mm Hg (1376.6 °F (747 °C))

Vapor Density (air = 1): No data available. Relative Density (water=1): 2.16 (25 °C)

Solubility(ies):

Solubility in water: 360 g/l (25 °C) Soluble

Solubility (other): ethanol: 6.5 g/l (25 °C) Slightly Soluble

glycerol: 100 g/l

Not applicable.

Partition coefficient (n- No data available.

octanol/water):

Auto-Ignition Temperature: No data available.

Decomposition Temperature: No data available.

Viscosity: No data available.

Other Information:

Molecular Weight: 58.44 g/mol Formula: NaCl

Section 10: Stability and Reactivity

Reactivity

No dangerous reaction known under conditions of normal use.

Chemical Stability

Material is stable under normal conditions.



Print Date: September 22, 2025

Possibility of Hazardous Reactions

Hazardous polymerization does not occur.

Conditions to Avoid

Contact with incompatible materials. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).

Incompatible Materials

Avoid contact with strong acids. Becomes corrosive to metals when wet.

Hazardous Decomposition Products

May evolve chlorine gas when in contact with strong acids.

Section 11: Toxicological Information

Information on routes of exposure

Ingestion: May be harmful if swallowed. The following were observed after ingesting an excessive quantity: nausea and vomiting, diarrhea, cramps, restlessness, irritability, dehydration, water retention, nose bleed, gastrointestinal tract damage, fever, sweating, sunken eyes, high blood pressure, muscle weakness, dry mouth and nose, shock, cerebral edema, pulmonary edema, blood cell shrinkage, and brain

damage. Death is generally due to cardiovascular collapse or CNS damage.

Inhalation: May cause irritation to the respiratory system.

Skin Contact: Prolonged or repeated skin contact may cause irritation.

Eye Contact: Causes serious eye irritation.

Information on Toxicological Effects

Acute Toxicity (List all possible routes of exposure)

Oral

Sodium Chloride: LD 50 (Rat): 3,000 mg/kg Sodium Chloride: LD 50 (Mouse): 4,000 mg/kg Sodium Chloride: LDLo (Rabbit): 8,000 mg/kg

Dermal

Sodium Chloride: LD 50 (Rabbit): 10,000 mg/kg

Inhalation

Sodium Chloride: LC 50 (Rat, 1 h): 42 mg/l

Repeated Dose Toxicity

No data available..

Skin Corrosion/Irritation

May cause skin irritation. Exposure may cause irritation, redness, or discomfort. For ingestion, consuming less than a few grams would not be harmful.

Serious Eye Damage/Eye Irritation

Causes serious eye irritation. Exposure may cause irritation, redness, or discomfort. For ingestion, consuming less than a few grams would not be harmful.

Respiratory/Skin Sensitization

Not a skin sensitizer.

Carcinogenicity

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

No component of this product present at levels greater than or equal to 0.1% is identified as probable or confirmed human carcinogen by IARC.

US. National Toxicology Program (NTP) Report on Carcinogens

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Germ Cell Mutagenicity

In Vitro

No mutagenic components identified.

In Vivo

No mutagenic components identified.

Reproductive Toxicity

None known.

Specific Target Organ Toxicity - Single Exposure

None known.



Print Date: September 22, 2025

Specific Target Organ Toxicity - Repeated Exposure

None known.

Aspiration Hazard

Not classified.

Other Effects

None known.

Section 12: Ecological Information

Ecotoxicity

Acute Hazards to the Aquatic Environment

Fish

No data available.

Aquatic Invertebrates

Sodium Chloride: EC 50 (Water flea (Daphnia magna), 48 h): 340.7 mg/l

Toxicity to Aquatic Plants

No data available.

Chronic Hazards to the Aquatic Environment

Fish

No data available.

Aquatic Invertebrates

No data available.

Toxicity to Aquatic Plants

No data available.

Persistence and Degradability

Biodegradation

This material is readily biodegraded and is not likely to bioconcentrate.

BOD/COD Ratio

No data available.

Bioaccumulative Potential

Bioconcentration Factor (BCF)

Potential to bioaccumulate is low.

Partition Coefficient n-octanol / water (log Kow)

No data available.

Mobility in Soil

The product is water soluble and may spread in water systems.

Other Adverse Effects

The product components are not classified as environmentally hazardous. However, large or frequent spills can have a harmful effect on the environment.

Section 13: Disposal Considerations

Disposal Instructions

Discharge, treatment, or disposal may be subject to national, state, or local laws.

Contaminated Packaging

Since emptied containers retain product residue, follow label warnings even after container is emptied.

Section 14: Transportation Information

US Department of Transportation (DOT)

This material is not regulated as a hazardous material for transport by the U.S. Department of Transportation in accordance with 49 CFR 172.101.

Section 15: Regulatory Information

US Federal Regulations

Toxic Substance Control Act (TSCA), Chemical Substance Inventory, Section 8(b)

This product or ingredient(s) are listed on the TSCA inventory. Any impurities present in this product are exempt from listing.

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substance List (40 CFR 302.4)

No chemical(s) in this material are subject to the reporting requirements of CERCLA.



Print Date: September 22, 2025

Clean Air Act (CAA), Section 112(r)

No chemical(s) in this material are subject to the reporting requirements of CAA.

Emergency Planning and Community Right-To-Know Act (EPCRA)

EPCRA 302 Extremely Hazardous Substance

No chemical(s) in this material are subject to the reporting requirements of SARA Title III, Section 302.

EPCRA 304 Emergency Response Notification

No chemical(s) in this material are subject to the reporting requirements of SARA Title III, Section 304.

EPCRA 311/312 Emergency and Hazardous Materials Reporting

Fire Hazard: No Sudden Release of Pressure: No

Reactive: No Acute (Immediate) Health Hazard: Yes

Chronic (Delayed) Health Hazard: No EPCRA 313 Toxic Chemical Release Inventory (TRI) Reporting

This material does not contain any chemical(s) with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65)

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Important Note: Due to the changing nature of regulatory requirements, the information in this document should NOT be considered all-inclusive or authoritative. Users should make their own investigations to determine the suitability of the information for their particular purposes. International, Federal, State and Local regulations should be consulted to determine compliance with all required reporting requirements.

Section 16: Other Information

Hazardous Materials Identification System (HMIS®) Classification

Health Hazard: 1

Chronic Health Hazard: /

Flammability: 0

Physical Hazard: 0

Personal Protection: A

(Hazard Rating: 0 - Minimal / 1 - Slight / 2 - Moderate / 3 - Serious / 4 - Severe)

National Fire Protection Association (NFPA 704) Rating

Health Hazard: 1

Fire Hazard: 0

Reactivity Hazard: 0

Special: N/A

(Hazard Rating: 0 - Minimal / 1 - Slight / 2 - Moderate / 3 - Serious / 4 - Severe)

Prepared By: Regulatory Manager

Version #: 001

Issue Date: August 25, 2015

Last Revised By: Regulatory Assistant C

Last Revision Date: 9/22/2025

Current Revision: 03

Sections Revised: 2, 11-12

Key to Abbreviations and Acronyms

ATE - Acute Toxicity Estimate ACGIH - American Conference of Industrial Hygienists AIHA – American Industrial Hygiene Association BCF - Bioconcentration Factor

EC50 - Effective concentration, 50% **BEI - Biological Exposure Indices**

IDHL - Immediately Dangerous to Life and Health CAS - Chemical Abstracts Service Kg – Kilogram DOT - US Department of Transportation

EPA - US Environmental Protection Agency I – Liter GHS - Globally Harmonized System of Classification and Labelling of Chemicals lb - Pound

LC50 - Lethal Concentration, 50% IARC - International Agency for Research on Cancer LD50 - Lethal Dose, 50% IATA - International Air Transport Association

mg - milligram IBC - Intermediate Bulk Container

ml - milliliter IMDG - International Maritime Dangerous Goods

N/A - Not Applicable NIOSH - National Institute for Occupational Safety and Health N/D - Not Determined

NTP - National Toxicology Program



Print Date: September 22, 2025

PEL – Permissible Exposure Limit REL – Recommended Exposure Limit STEL – Short-term Exposure Limit TWA - Time weighted average OSHA – US Occupational Health and Safety Administration SARA – US EPA Superfund Amendments and Reauthorization Act TSCA – US EPA Toxic Substances Control Act UN - United Nations

References

HSDB® - Hazardous Substances Data Bank

Disclaimer

The information in this SDS was obtained from sources which we believe are reliable. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY WARRANTY, EXPRESS OR IMPLIED, REGARDING ITS CORRECTNESS. The conditions or methods of handling, storage, use, and disposal of the product are beyond our control and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.