

Print Date: March 19, 2025

Section 1: Product & Company Information

Product Identifier: VM & P Naphtha

Other Means of Identification

Product Number: 151252

Recommended Use and Restrictions on Use

Recommended Use: Hydrocarbon solvent Restrictions on Use: No data available.

Manufacturer / Importer / Supplier / Distributor Information

Company Name: CORECHEM Inc.

Address: 4320 Greenway Drive

Knoxville, TN 37918 USA

Information Telephone Number: 1-865-524-4239

Fax Number: 1-865-524-3375 **Website:** www.corecheminc.com

Contact Person: Regulatory Manager

E-mail: regulatory@corecheminc.com

Emergency Phone Number: Chemtrec® 1-800-424-9300 / Outside USA 1-703-527-3887 (monitored 24 hours/day)

Section 2: Hazards Identification

GHS Hazard Classification(s)

In accordance with OSHA Hazard Communication Standard 29 CFR 1910.1200 (HazCom 2012).

Physical Hazard(s)

Flammable, Liquids - 2

Health Hazard(s)

Aspiration Hazard - 1 Corrosion/Irritation, Skin - 2 Specific Target Organ Toxicity (STOT)-CNS, Single exposure - 3

Environmental Hazard(s)

Not classified.

Label Elements Signal Word DANGER

Hazard Symbol(s)







Hazard Statement(s)

H225: Highly flammable liquid and vapor.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin Irritation.

H336: May cause drowsiness or dizziness.

Precautionary Statements



Print Date: March 19, 2025

General

Not applicable.

Prevention

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233: Keep container tightly closed.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting/equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P261: Avoid breathing dust/fume/gas/mist/vapors/spray.

P264: Wash face, hands and any exposed skin thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response

P301 + P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P302 + P352: IF ON SKIN: Wash with plenty of soap and water.

P303 + P361 + P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340: IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312: Call a POISON CENTER or doctor/physician if you feel unwell.

P321: Specific treatment (see supplemental first aid instructions on this label).

P331: Do NOT induce vomiting.

P332 + P313: If skin irritation occurs: Get medical advice/attention.

P337 + P313: If eye irritation persists: Get medical advice/attention.

P362: Take off contaminated clothing and wash before reuse.

P264: Wash face, hands and any exposed skin thoroughly after handling.

P370 + P378: In case of fire: Use suitable extinguishing media for extinction.

Storage

P403 + P233: Store in a well-ventilated place. Keep container tightly closed.

P403 + P235: Store in a well-ventilated place. Keep cool.

P405: Store locked up.

Disposal

P501: Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

Hazard(s) not otherwise classified (HNOC)

None known.

Section 3: Composition/Information on Ingredients

Substance

Chemical Identity ²	Common Name/Synonym(s)	CAS# ³	Weight %	Impurity or Stabilizing Additive
Aliphatic Hydrocarbon	-	64742-49-0	75 – 100%	No

- 1. Information regarding the composition and the percentage ranges of the mixtures ingredients are not presented as it Confidential Business Information (CBI). Where a medical emergency exists (as determined by medical professional), timely disclosure of CBI is assured. The information omitted pertains to only the names of the substances and the concentration in the mixture (product) and can only be requested by a doctor/physician or Local/State/Provincial or Federal Authority.
- 2. Non-hazardous ingredients are not presented as to protect the proprietary formula of the product.
- 3. "— "Indicates ingredient is a mixture and contains multiple ingredients or may have no identifying CAS number.

Section 4: First-Aid Measures

General Information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Wash contaminated clothing before reuse.

Inhalation

Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that gas or vapor is still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs,



Print Date: March 19, 2025

provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Skin Contact

Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Eye Contact

Immediately flush eyes with water. Flush eyes with water for a minimum of 15 minutes, occasionally lifting and lowering upper lids. Get medical attention promptly. Remove contact lenses if worn.

Ingestion

Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Aspiration hazard if swallowed. Can enter lungs and cause damage. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Symptoms

Causes serious eye irritation. Harmful if inhaled. Can cause central nervous system depression. May cause drowsiness and dizziness. May be fata if swallowed and enters airways. Irritating to mouth, throat, and stomach. Causes skin irritation.

Indication of immediate medical attention and special treatment needed

Hazards

No data available.

Treatment

Treat symptomatically. Symptoms may be delayed.

If ingested, this material presents a significant aspiration and chemical pneumonitis hazard. Induction of emesis is not recommended. Consider activated charcoal and/or gastric lavage. If patient is obtunded, protect the airway by cuffed endotracheal intubation or by placement of the body in a Trendelenburg and left lateral decubitus position.

Section 5: Fire-Fighting Measures

General Fire Hazards

Highly flammable liquid and vapor.

Suitable (and Unsuitable) Extinguishing Media

Suitable Extinguishing Media

Extinguishing powder, alcohol resistant foam, carbon dioxide, water fog

Unsuitable Extinguishing Media

Do not use water jet.

Specific Hazards Arising from the Chemical

Highly flammable liquid and vapor. May cause flash fire or explosion. Vapors can travel to a source of ignition and flash back. Runoff to sewer may create fire or explosion hazard. This product is a poor conductor of electricity and can become electrostatically charged. If sufficient charge is accumulated, ignition of flammable mixtures can occur. Empty containers retain product residue (liquid and/or vapor) and can be dangerous. DO NOT pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition. Also, do not reuse containers without commercial cleaning or reconditioning. Closed container may explode under extreme heat.

Special Protective Equipment and Precautions for Firefighters

Special Fire-Fighting Equipment Procedures

As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent) and full protective gear. Do not use water jet (frothing possible). Water spray to cool containers or protect personnel. Use with caution. Use caution when applying carbon dioxide in confined spaces. Water runoff can cause environmental damage. Dike and collect water used to fight fire.

Special Protective Equipment for Fire-Fighters

As in any fire, wear self-contained breathing apparatus pressure-demand (OSHA/NIOSH approved or equivalent) and full protective gear.

Section 6: Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures



Print Date: March 19, 2025

Use personal protective equipment. See Section 8 of the SDS for Personal Protective Equipment. Keep unauthorized personnel away. Ventilate closed spaces before entering them. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Evacuate area.

Methods and Materials for Containment and Clean-Up

Large Spills: Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.

Small Spills: Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Notification Procedures

In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

Environmental Precautions

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Section 7: Handling and Storage

Precautions for Safe Handling

DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. Take precautionary measures against static discharges. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Ground/bond container and receiving equipment. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using the product. Use caution when adding this material to water. See Section 8 of the SDS for Personal Protective Equipment. Avoid contact with eyes. Avoid contact with skin

Conditions for Safe Storage, including any Incompatibilities

Keep away from heat, sparks, and flame. Containers can build up pressure if exposed to heat (fire). Store containers in a cool, well ventilated place. Keep container closed when not in use. Protect from direct sunlight. Static Discharge, materials can accumulate static charges which can cause an incendiary electrical discharge. Material is a static accumulator which has the potential of forming ignitable vapor-air mixtures in storage tanks.

Section 8: Exposure Controls/Personal Protection

Control Parameters

Occupational Exposure Limits

occupational Exposure Emilio				
Chemical Identity	Туре	Value	Source	
Aliphatic Hydrocarbon	TWA	5 mg/m3	US. ACGIH Threshold Limit Values	
Aliphatic Hydrocarbon	TWA	5 mg/m3	OSHA	

Biological Limit Values

The product does not contain any relevant quantities of hazardous materials with assigned biological limit values.

Appropriate Engineering Controls

No data available.

Individual protection measures, such as personal protective equipment (PPE)

General Information

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. An eye wash and safety shower must be available in the immediate work area. Use explosion-proof ventilation equipment.

Eye/Face Protection

Wear safety glasses with side shields.

Skin Protection

Hand Protection

Wear impervious gloves to prevent contact with the skin. Wear long sleeves when contact is likely to occur. Wear protective gear as needed - apron, suit, boots.

Other

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.



Print Date: March 19, 2025

Respiratory Protection

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Air-purifying respirator with an appropriate, government approved (where applicable), air-purifying filter, cartridge or canister. Contact health and safety professional or manufacturer for specific information

Hygiene Measures

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated footwear that cannot be cleaned. Wash hands before breaks and immediately after handling the product. Wash contaminated clothing before reuse. Avoid contact with eyes, skin, and clothing.

Section 9: Physical and Chemical Properties

Appearance:

Physical State: Liquid Color: Colorless

Odor: Hydrocarbon Solvent
Odor Threshold: No data available.
pH: No data available.
Melting Point/Freezing Point: No data available.

Initial Boiling Point and Boiling 129 to 144°C (245 to 291°F)

Range:

Flash Point: 69 **Evaporation Rate** (butyl acetate=1): 1

Flammability (solid, gas): No data available.
Upper/Lower Limit on Flammability or Explosive Limits

Flammability Limit – Upper: 6.7% volume
Flammability Limit – Lower: 0.9% volume
Explosive Limit – Upper: 10.2
Explosive Limit – Lower: 1.3

Vapor Pressure: 1.5 kPa (11 mm Hg) [room temperature]

Vapor Density (air =1): Heavier than air

Relative Density (water=1): 0.761

Solubility(ies):

Solubility in water: Very slightly soluble in the following materials: cold water.

Solubility (other): No data available.

Partition coefficient No data available.

(n-octanol/water):

Auto-Ignition Temperature: 246°C (474.8°F)

Decomposition Temperature: No data available.

Viscosity: Kinematic (room temperature): <0.01 cm2/s (<1 cSt)

Other Information:

Molecular Weight: No data available. Formula: No data available.

Section 10: Stability and Reactivity

Reactivity

Not expected to be Explosive, Self-Reactive, Self-Heating, or an Organic Peroxide under US GHS Definition(s).

Chemical Stability

Material is stable under normal conditions.

Possibility of Hazardous Reactions

Hazardous polymerization does not occur.

Conditions to Avoid

Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition. Do not allow vapor to accumulate in low or confined areas.

Incompatible Materials

Prevent contact with strong oxidizing agents. Keep away from acids. Keep separate from alkalis.



Print Date: March 19, 2025

Hazardous Decomposition

Products

During combustion carbon monoxide may be formed. During combustion carbon dioxide may be formed.

Section 11: Toxicological Information

Information on routes of exposure

Ingestion: May be fatal if swallowed and enters airway. May cause central nervous system depression. May cause nausea and vomiting.
Inhalation: May cause central nervous system depression. Adverse symptoms may include the following: nausea or vomiting, headache, drowsiness/fatigue, dizziness/vertigo, unconsciousness. Repeated or prolonged overexposure to solvents can cause brain or other nervous system damage. The symptoms can include the loss of memory, the loss of intellectual capacity and the loss of

coordination.

Skin Contact: Causes skin irritation. Adverse symptoms may include redness, dryness and cracking. **Eye Contact:** May cause eye irritation. Adverse symptoms may include pain, watering, redness.

Information on Toxicological Effects

Acute Toxicity (List all possible routes of exposure)

Oral

Aliphatic Hydrocarbon: LD50 >5000 mg/kg

Dermal

Aliphatic Hydrocarbon: LD50 >2000 mg/kg

Inhalation

Aliphatic Hydrocarbon: LD50 >20 mg/L

Repeated Dose Toxicity

No data available.

Skin Corrosion/Irritation

Slight to moderate.

Serious Eye Damage/Eye Irritation

No data available.

Respiratory/Skin Sensitization

No skin sensitizing.

Carcinogenicity

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans

Group 3 - Not classifiable as to its carcinogenicity to humans.

US. National Toxicology Program (NTP) Report on Carcinogens

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Germ Cell Mutagenicity

In Vitro

No mutagenic components identified.

In Vivo

No mutagenic components identified.

Reproductive Toxicity

A component of this product is a potential hazard to the fetus.

Specific Target Organ Toxicity - Single Exposure

Narcotic effects.

Specific Target Organ Toxicity - Repeated

Exposure

No data available.

Aspiration Hazard

Category 1

Other Effects



Print Date: March 19, 2025

Chronic: A component of this product is a potential hazard to the fetus.

Ecotoxicity

Acute Hazards to the Aquatic Environment

Fish

No data available.

Aquatic Invertebrates

No data available.

Toxicity to Aquatic Plants

No data available.

Chronic Hazards to the Aquatic Environment

Fish

No data available.

Aquatic Invertebrates

No data available.

Toxicity to Aquatic Plants

No data available.

Persistence and Degradability

Biodegradation

There are no data on the degradability of this product.

BOD/COD Ratio

No data available.

Bioaccumulative Potential

Bioconcentration Factor (BCF)

No data available on bioaccumulation.

Partition Coefficient n-octanol / water (log Kow)

No data available.

Mobility in Soil

No data available.

Other Adverse Effects

No data available.

Section 13: Disposal Considerations

Disposal Instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Contaminated Packaging

Handle contaminated packages in the same way as the substance itself. Emptied containers may retain hazardous residue and explosive vapors. Keep away from heat, sparks, and flames. Do not cut, puncture, or weld on or near this container. Follow label warnings until container is thoroughly cleaned or destroyed.

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASE OR SPILLED:

Wear appropriate personal protective equipment. Eliminate all ignition sources. Evacuate unnecessary personnel. Prevent additional discharge of material if able to do so safely. Do not touch or walk through spilled material. Avoid runoff into storm sewers and ditches which lead to waterways. Ventilate spill area. Stay upwind of spill. Collect spilled materials for disposal. Use only noncombustible material for clean-up. Use clean, non-sparking tools to collect absorbed materials. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

UN Number: UN1268



Print Date: March 19, 2025

UN Proper Shipping Name: Petroleum Distillates, n.o.s.

Technical Name: -Hazard Class: 3 Subsidiary Hazard Risk:

Packing Group: II

DOT Label/Placard Exemptions: Not determined

Special Provisions: 144, IB2, T7, TP1, TP8, TP28

Packaging Exceptions: 49CFR 173.150 Packaging Non-Bulk: 49CFR 173.202 Packaging Bulk: 49CFR 173.242

Reportable Quantity (RQ): None Marine Pollutant: No Poison Inhalation Hazard: No

Special precautions for user: Transport within user's premises: always transport in closed containers that are upright and secure. Ensure

that persons transporting the product know what to do in the event of an accident or spillage.

Emergency Response Guidebook (ERG) #: 128

Important Note: Shipping descriptions may vary based on mode of transport, quantities, package size, and/or origin and destination. Consult your company's Hazardous Materials/Dangerous Goods expert for information specific to your situation.

Section 15: Regulatory Information

US Federal Regulations

Toxic Substance Control Act (TSCA), Chemical Substance Inventory, Section 8(b)

This product or ingredient(s) are listed on the TSCA inventory. Any impurities present in this product are exempt from listing.

Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substance List (40 CFR 302.4)

No chemical(s) in this material are subject to the reporting requirements of CERCLA.

Clean Air Act (CAA), Section 112(r)

No chemical(s) in this material are subject to the reporting requirements of CAA.

Emergency Planning and Community Right-To-Know Act (EPCRA)

EPCRA 302 Extremely Hazardous Substance

No chemical(s) in this material are subject to the reporting requirements of SARA Title III, Section 302.

EPCRA 304 Emergency Response Notification

No chemical(s) in this material are subject to the reporting requirements of SARA Title III, Section 304.

EPCRA 311/312 Emergency and Hazardous Materials Reporting

Fire Hazard: Yes

Sudden Release of Pressure: No

Reactive: No

Acute (Immediate) Health Yes

Hazard:

Chronic (Delayed) Health Yes

Hazard:

EPCRA 313 Toxic Chemical Release Inventory (TRI) Reporting

This material does not contain any chemical(s) with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65)

This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

Important Note: Due to the changing nature of regulatory requirements, the information in this document should NOT be considered all-inclusive or authoritative. Users should make their own investigations to determine the suitability of the information for their particular purposes. International, Federal, State and Local regulations should be consulted to determine compliance with all required reporting requirements.

Hazardous Materials Identification System (HMIS®) Classification

Health Hazard: 1

Chronic Health Hazard: *

Flammability: 3



Print Date: March 19, 2025

Physical Hazard: 0

Personal Protection: X

(Hazard Rating: 0 - Minimal / 1 - Slight / 2 - Moderate / 3 - Serious / 4 - Severe)

National Fire Protection Association (NFPA 704) Rating

Health Hazard: 1 Fire Hazard: 3 **Reactivity Hazard: 0** Special: N/A

(Hazard Rating: 0 - Minimal / 1 - Slight / 2 - Moderate / 3 - Serious / 4 - Severe)

Prepared By: Regulatory Manager

Version #: 001

Issue Date: August 21, 2015 Last Revised By: Regulatory Assistant C

Last Revision Date: 10/14/2021

Current Revision: 02

Sections Revised: 2-4, 4-5, 7-11, 13, 16

Key to Abbreviations and

lb - Pound

mg - milligram

ml - milliliter

LD50 - Lethal Dose, 50%

N/A - Not Applicable N/D - Not Determined

Acronyms

ATE - Acute Toxicity Estimate ACGIH - American Conference of Industrial Hygienists BCF - Bioconcentration Factor AIHA - American Industrial Hygiene Association EC50 - Effective concentration, 50% **BEI - Biological Exposure Indices**

IDHL - Immediately Dangerous to Life and Health CAS - Chemical Abstracts Service DOT - US Department of Transportation Kg – Kilogram l – Liter EPA - US Environmental Protection Agency

GHS - Globally Harmonized System of Classification and Labelling of Chemicals LC50 - Lethal Concentration, 50%

IARC - International Agency for Research on Cancer IATA - International Air Transport Association

IBC - Intermediate Bulk Container IMDG - International Maritime Dangerous Goods

NIOSH - National Institute for Occupational Safety and Health

NTP - National Toxicology Program

PEL - Permissible Exposure Limit OSHA - US Occupational Health and Safety Administration SARA – US EPA Superfund Amendments and Reauthorization Act REL – Recommended Exposure Limit

STEL - Short-term Exposure Limit TSCA - US EPA Toxic Substances Control Act

TWA - Time weighted average **UN - United Nations**

References

HSDB® - Hazardous Substances Data Bank

Disclaimer

The information in this SDS was obtained from sources which we believe are reliable. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY WARRANTY, EXPRESS OR IMPLIED, REGARDING ITS CORRECTNESS. The conditions or methods of handling, storage, use, and disposal of the product are beyond our control and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.